



RD Retarder Agent

TECHNICAL DATA SHEET

RD Retarder Agent

General: It is water-based auxiliary materials that used to reduce viscosity of printing paste without any changing on their print property & fastness. It is a antiembolic product.

Technical Details :

Appearance	: Paste
Odor	: Charateristic
Color	: Transparent
pH	: 6.0 - 7.0
Density	: 1,11 g/cm ³ (77 °F)
Boiling Point	: >212°F
Solubility	: Soluble in water

(Standards: for fastness tests - ISO 105-X10: 1993 / ISO 105-D01:2010 / ISO 105-B02:2013)

Advantages :

RD Retarder Agent increases all fastness of products which mixing it.

It provides extremely wash fastness. RD Retarder Agent is discharge printing paste.

Suitable to ecological standards.

Applications :

RD Retarder Agent prevents to dry & blocking of the operated paste in the silk-screen.

Usage :

It is water-based auxiliary materials that used to reduce viscosity of printing paste without any changing on their print property & fastness.

Packaging Information :

RD Retarder Agent is packed in 5 kg plastic cans.

Storage & Shelf Life :



RD Retarder Agent

TECHNICAL DATA SHEET

Keep containers dry and tightly closed. Store in a ventilated place between (+5)-(+30) °C/(+41)-(+86)°F of temperature.

It should be consumed within 2 years after the production date.

Important :

The technical application and information that have been given above, are designed only as using instructions. Should not be considered as a warranty for any other use. When any help or assistance is required, our technical department is ready for help.

In case of emergency, Safety Data Sheet of this product should be ready for help at the working area.

The warnings are given on safety data sheet of this product is for use outside the manufacturer/ distributor to direct/indirect can not be held responsible for any loss or damage.